



# STARDUST

## Comfort with a touch of the Orient

Imagine a night under the stars in a canvas lodge, but with all the luxury of a hotel. Our Stardust offers your guests everything they could ever want for an extraordinary glamping stay.

This lodge stands out with its distinctive double roof, which provides extra ventilation and is perfect for warmer climates. You can even add air conditioning for extra comfort. To create the ultimate outdoor feeling, the front side can be opened completely. After a long day of exploring, your guests can relax on the spacious veranda and watch the sun go down.

The two person Stardust offers your guests plenty of space and the comfort of a luxurious hotel room, yet surrounded by nature. More guests? Choose our Stardust family edition with two bedrooms for a maximum of five persons.

Our popular Stardust glamping tent is also available in a more compact version. This Stardust 32 offers the same luxury hotel experience with a practical layout for maximum comfort on smaller campsite pitches.

- ✓ Sturdy with an Oriental touch, to offer your guests a unique experience
- ✓ Symmetrical 100 mm frame design for better storm resistance
- ✓ Double-ventilated roof with superb ventilation
- ✓ Your guests can get close to nature by opening its front side



# FLOORPLAN STARDUST 32

## Dimensions

Inner tent	32.2 m <sup>2</sup>	6.7 x 4.8 m
Veranda	16.8 m <sup>2</sup>	6.7 x 2.5 m
Total surface	48.9 m <sup>2</sup>	7.3 x 6.7 m
Footprint	60.7 m <sup>2</sup>	8.8 x 6.9 m

## Features

# Guests	2
# Bedrooms	1
Bathroom	Yes
Kitchen	No

## Floorplan 2D - Hotel Suite



# FLOORPLAN STARDUST 40

## Dimensions

Inner tent	40.5 m <sup>2</sup>	7.5 x 5.4 m
Veranda	23.3 m <sup>2</sup>	7.5 x 3.1 m
Total surface	63.8 m <sup>2</sup>	8.5 x 7.5 m
Footprint	101 m <sup>2</sup>	10.2 x 9.9 m

## Features

# Guests	2 - 5
# Bedrooms	1 - 2
Bathroom	Yes
Kitchen	Optional

## Floorplan 3D - Hotel Suite



## Floorplan 2D - Family Lodge



# PHOTOS STARDUST



# SPECIFICATIONS STARDUST

Elements	Colour	Specifications	Technical standards
PVC Roof	Beige Brown Green	UV and flame retardant PVC 650gr/m <sup>2</sup> .  The PVC is easy to clean and meets the stringent European, British and American fire regulations (M2, B2 and DIN 4102 standard).	BS 7837  DIN 4102 – Class B2  M2 Classification NFP 92-503  EN 13501-1 B-s3, d0  Total weight DIN and ISO 2286-2 – 650 gr/m <sup>2</sup>
Flame retardant Polyester (FPTC420)	Beige	Flame retardant 420 gr/m <sup>2</sup> . The fibers in this fabric provide extra security and protection. It is scorch, glow and spark resistant. Textile material that is flame retardant has an inhibiting effect on the occurrence of fire and slow fire spreading.	Weight 420gr/m <sup>2</sup> + 5%  Standarder width: 150 cm  Tearing strenght: ±10%  - Warp: 76N  - Weft: 53N  Tensile strength: ± 10%  - Warp: 2800N/5 cm  - Weft: 2232N/5 cm  Watercolumn: ≥ 400mm  Color fading level: GR6   ISO105B04-1994  Mildewtreated: Level 0   AATCC30-2017  Fireproof level: M2   BS7837-1996
Fixing		The inner tent hanging system is a unique system. It has no point loading, so the weight is equally distributed across the surface of the structure.	
Construction		The connectors of the construction are made from 3 mm hot dipped galvanized steel.  The poles have a diameter of 100 mm.	

## Why choose us?

It's all in the detail. Our beautiful, sustainable glamping tents are not mass produced, but are created by a team of specialists with a passion for outdoor living. We personally manage every aspect, from the initial concept and product design, to the sourcing of eco-friendly materials and construction, to quality control. And it doesn't stop there, we provide ongoing service and support, long after you bought your tent or lodge.

## Interested?

Get in touch to find out more about our tents, or come and see them for yourself. Email us on [sales@yalacanvaslodges.com](mailto:sales@yalacanvaslodges.com) and we'll get right back to you or call us on +31 (0) 527 620 325.

## More info about the materials

[Video about Polycotton Ka46](#)

